

لیست قیمت (بهار ۱۴۰۴)

Tiandy

DDCPERSIA.COM

02154871000



No.	Series	Model	Picture	Description	
2MP Cameras					
Bullet					
1	AK	<u>TC-C321N I3/E/Y/2.8mm</u>		2MP(1920x1080@30fps),1/3"CMOS,2.8mm Fixed Lens,DWDR,0.04Lux,30m IR Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,POE 802.3af,MAX 6W,IP67	23,520,000
2	Spark	<u>TC-C32QN I3/E/Y/2.8mm/V5.0</u>		2MP(1920x1080@30fps),1/2.9"CMOS,2.8mm Fixed Lens,DWDR,0.02Lux,30m IR Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,POE 802.3af,MAX 6W,IP67	26,880,000
3	Super Lite	<u>TC-C32GN I5/E/Y/C/2.8mm/V4.2</u>		2MP(1920x1080@30fps),1/2.8"CMOS,2.8mm Fixed Lens,DWDR,0.02Lux,50m IR Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in, POE 802.3af, MAX 7W,IP67	34,720,000
4	Super Lite	<u>TC-C32GN I5/E/Y/C/4mm/V4.1</u>		2MP(1920x1080@30fps),1/2.8"CMOS,4mm Fixed Lens,DWDR,0.02Lux,50m IR Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,DC12V±25%, MAX 6.5W, POE 802.3af, MAX 7W,IP67	33,096,000
5	Super Lite	<u>TC-C32GN I5/E/Y/C/2.8mm/V4.1</u>		2MP(1920x1080@30fps),1/2.8"CMOS,2.8mm Fixed Lens,DWDR,0.02Lux,50m IR Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,DC12V±25%, MAX 6.5W, POE 802.3af, MAX 7W,IP67	34,720,000
6	Super Lite	<u>TC-C32GN I5/E/Y/C/SD/2.8mm/V4.1</u>		2MP(1920x1080@30fps),1/2.8"CMOS,2.8mm Fixed Lens,DWDR,0.02Lux,50m IR Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6.5W, POE 802.3af, MAX 7W,IP67	35,280,000
7	Lite- wifi	<u>TC-C32WN I5/Y/WIFI/4mm/V4.0</u>		2MP(1920x1080@30fps),1/2.8"CMOS,4mm Fixed Lens,DWDR,0.02Lux,50m IR Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6W,IP67	49,268,800
8	Spark	<u>TC-C32RN I5/E/Y/QX/2.8mm/V4.2</u>		2MP(1920x1080@30fps),1/3"CMOS,2.8mm Fixed Lens,DWDR,0.02Lux,50m IR Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,DC12V±25%, MAX 7.5W, POE 802.3af, MAX 8.5W,IP67	58,800,000
• به موارد فوق 10٪ ارزش افزوده اضافه می گردد.					

9	Lite	<u>TC-C32WP I5/E/Y/2.8mm/V4.0</u>		2MP(1920x1080@30fps),1/2.8"CMOS,2.8mm Fixed Lens,120dB WDR,0.0008Lux,50m IR Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6W, POE 802.3af, MAX 7W,IP67	57,344,000
10	Lite	<u>TC-C32WP W/E/Y/2.8MM/V4.1</u>		2MP(1920x1080@30fps),1/2.8"CMOS,2.8mm Fixed Lens,120dB WDR,0.002Lux,Warmlight Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6W, POE 802.3af, MAX 7W,IP67	65,161,600
11	Lite	<u>TC-C32WP I5W/E/Y/2.8mm/V4.2</u>		2MP(1920x1080@30fps),1/2.8"CMOS,2.8mm Fixed Lens,120dB WDR,0.002Lux,50m IR +Warmlight Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6W, POE 802.3af, MAX 7W,IP67	70,560,000
12	Lite	<u>TC-C32WP I5W/E/Y/M/2.8mm/V4.2</u>		2MP(1920x1080@30fps),1/2.8"CMOS,2.8mm Fixed Lens,120dB WDR,0.002Lux,50m IR +Warmlight Metal Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6W, POE 802.3af, MAX 7W,IP67	76,160,000
13	Lite -Eco Pro	<u>TC-C32US I8/A/E/Y/M/C/H/2.7-13.5mm/V4.0</u>		2MP(1920x1080@30fps),1/2.8"CMOS,2.7-13.5mm Varifocal Lens,120dB WDR,0.002Lux,80m IR Metal Housing,BLC/HLC/AGC/3D DNR,One Audio I/O, Mic in,One Alarm I/O,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 8W, POE 802.3af, MAX 9W,IP67	95,648,000
Turret					
14	AK	<u>TC-C320N I3/E/Y/2.8mm</u>		2MP(1920x1080@30fps),1/3"CMOS,2.8mm Fixed Lens,DWDR,0.04Lux,30m IR Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,POE 802.3af;MAX 6W,	23,520,000
15	Spark	<u>TC-C32XN I3/E/Y/2.8mm/V5.0</u>		2MP(1920x1080@30fps),1/2.9"CMOS,2.8mm Fixed Lens,DWDR,0.02Lux,30m IR Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,POE 802.3af;MAX 6W,	26,880,000
16	Super Lite	<u>TC-C32HN I3/E/Y/C/2.8mm/V4.1</u>		2MP(1920x1080@30fps),1/2.8"CMOS,2.8mm Fixed Lens,DWDR,0.02Lux,30m IR Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,DC12V±25%, MAX 6.5W, POE 802.3af, MAX 7W,IP66	29,568,000
17	Super Lite	<u>TC-C32HN I3/E/Y/C/2.8mm/V4.2</u>		2MP(1920x1080@30fps),1/2.8"CMOS,2.8mm Fixed Lens,DWDR,0.02Lux,30m IR Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,POE 802.3af;MAX 7W,IP66	29,568,000
18	Lite	<u>TC-C32XP W/E/Y/2.8mm/V4.1</u>		2MP(1920x1080@30fps),1/2.8"CMOS,2.8mm Fixed Lens,120dB WDR,0.002Lux,Warmlight Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6W, POE 802.3af, MAX 7W,IP66	48,843,200
19	Lite	<u>TC-C32XP I3W/E/Y/2.8mm/V4.2</u>		2MP(1920x1080@30fps),1/2.8"CMOS,2.8mm Fixed Lens,120dB WDR,0.002Lux,30m IR +Warmlight Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6W, POE 802.3af, MAX 7W,IP66	54,667,200
20	Lite	<u>TC-C32XP W/E/Y/2.8MM/V4.0</u>		2MP(1920x1080@30fps),1/2.8"CMOS,2.8mm Fixed Lens,120dB WDR,0.0008Lux,Warmlight Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6W, POE 802.3af, MAX 8W,IP66	55,440,000
• به موارد فوق 10٪ ارزش افزوده اضافه می گردد.					

21	Lite	TC-C32XP <u>I3/E/Y/M/2.8mm/V4.0</u>		2MP(1920x1080@30fps),1/2.8"CMOS,2.8mm Fixed Lens,120dB WDR,0.0008Lux,30m IR Metal Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6W, POE 802.3af, MAX 7W,IP67	56,896,000
22	Lite	TC-C32XP <u>I3W/E/Y/M/2.8mm/V4.2</u>		2MP(1920x1080@30fps),1/2.8"CMOS,2.8mm Fixed Lens,120dB WDR,0.002Lux,30m IR +Warmlight Metal Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6W, POE 802.3af, MAX 7W,IP66	59,304,000
Dome					
23	Lite	TC-C32KN <u>I3/E/Y/C/2.8mm/V4.3</u>		2MP(1920x1080@30fps),1/2.8"CMOS,2.8mm Fixed Lens,DWDR,0.02Lux,30m IR Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,Reset button,DC12V±25%, MAX 4.5W, POE 802.3af, MAX 5W,IP66	88,816,000
24	Lite -Eco Pro	TC-C32MS <u>I3/A/E/Y/M/C/H/2.7-13.5mm/V4.0</u>		2MP(1920x1080@30fps),1/2.8"CMOS,2.7-13.5mm Varifocal Lens,120dB WDR,0.002Lux,30m IR Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,One Audio I/O, Mic in,One Alarm I/O,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 7W, POE 802.3af, MAX 8W,IP66,IK10	94,774,400
25	Lite- wifi	TC-C32KN I3/Y/WIFI/2.8mm		2MP(1920x1080@30fps),1/2.8"CMOS,2.8mm Fixed Lens,DWDR,0.02Lux,30m IR Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6W,IP66,IK10	48,148,800
4MP Cameras					
Bullet					
26	Spark	TC-C34QN I3/E/Y/4mm/V5.0		4MP(2560x1440@30fps),1/3"CMOS,4mm Fixed Lens,DWDR,0.02Lux,30m IR Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,POE 802.3af,MAX 6W,IP67	52,080,000
27	Spark	TC-C34QN <u>I5W/E/Y/2.8mm/V5.1</u>		4MP(2560x1440@20fps),1/3"CMOS,2.8mm Fixed Lens,DWDR,0.02Lux,30m IR +Warmlight Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,POE 802.3af,MAX 6W,IP67	61,264,000
28	Super Lite	TC-C34GN <u>I5/E/Y/C/2.8mm/V4.2</u>		4MP(2688x1520@25fps),1/2.7"CMOS,2.8mm Fixed Lens,DWDR,0.02Lux,50m IR Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,POE 802.3af,MAX 7W,IP67	56,000,000
29	Super Lite	TC-C34GS <u>I5/E/Y/C/2.8mm/V4.0</u>		4MP(2688x1520@25fps),1/2.7"CMOS,2.8mm Fixed Lens,DWDR,0.002Lux,50m IR Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,DC12V±25%, MAX 6.5W, POE 802.3af, MAX 7W,IP67	59,920,000
30	Super Lite	TC-C34GS <u>I5/E/Y/C/SD/2.8mm/V4.2</u>		4MP(2688x1520@25fps),1/2.7"CMOS,2.8mm Fixed Lens,DWDR,0.002Lux,50m IR Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,POE 802.3af, MAX 7W,IP67	64,400,000
31	Lite	TC-C34WS <u>I5W/E/Y/2.8mm/V4.2</u>		4MP(2592x1520@25fps),1/2.8"CMOS,2.8mm Fixed Lens,120dB WDR,0.002Lux,50m IR +Warmlight Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6W, POE 802.3af, MAX 7W,IP66	72,800,000
• به موارد فوق 10٪ ارزش افزوده اضافه می گردد.					

32	Lite	TC-C34WS <u>I5W/E/Y/M/2.8mm/V4.2</u>		4MP(2592x1520@25fps),1/2.8"CMOS,2.8mm Fixed Lens,120dB WDR,0.002Lux,50m IR +Warmlight Metal Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6W, POE 802.3af, MAX 7W,IP67	84,336,000
33	Super Lite	TC-C34UN I8/A/E/Y/2.8-12mm/V4.2		4MP(2688x1520@25fps),1/2.9"CMOS,2.8-12mm Varifocal Lens,120dB WDR,0.02Lux,80m IR Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in ,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6.5W, POE 802.3af, MAX 7W,IP67	116,480,000
Turret					
34	Spark	TC-C34XN I3/E/Y/2.8mm/V5.0		4MP(2660x1440@20fps),1/3"CMOS,2.8mm Fixed Lens,DWDR,0.02Lux,30m IR Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,POE 802.3af,MAX 6W	54,880,000
35	Super Lite	TC-C34HN <u>I3/E/Y/C/2.8mm/V4.2</u>		4MP(2688x1520@25fps),1/2.7"CMOS,2.8mm Fixed Lens,DWDR,0.02Lux,30m IR Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,POE 802.3af,MAX 6W,IP66	55,888,000
36	Super Lite	TC-C34HS <u>I3/E/Y/C/2.8MM/V4.0</u>		4MP(2688x1520@25fps),1/2.7"CMOS,2.8mm Fixed Lens,DWDR,0.002Lux,30m IR Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,DC12V±25%, MAX 6.5W, POE 802.3af, MAX 7W,IP66	62,384,000
37	Super Lite	TC-C34HS <u>I3/E/Y/C/SD/2.8mm/V4.2</u>		4MP(2688x1520@25fps),1/2.7"CMOS,2.8mm Fixed Lens,DWDR,0.002Lux,30m IR Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,POE 802.3af, MAX 7W,IP66	68,488,000
38	Lite	TC-C34XS I3W/E/Y/2.8mm/V4.2		4MP(2592x1520@25fps),1/2.8"CMOS,2.8mm Fixed Lens,120dB WDR,0.002Lux,30m IR +Warmlight Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6W, POE 802.3af, MAX 7W,IP66	55,440,000
39	Lite	TC-C34XS <u>I3W/E/Y/M/2.8mm/V4.2</u>		4MP(2592x1520@25fps),1/2.8"CMOS,2.8mm Fixed Lens,120dB WDR,0.002Lux,30m IR +Warmlight Metal Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6W, POE 802.3af, MAX 7W,IP66	58,576,000
40	Lite	TC-C34XP <u>W/E/Y/M/2.8MM/V4.0</u>		4MP(2592x1520@25fps),1/2.8"CMOS,2.8mm Fixed Lens,120dB WDR,0.0004Lux,Warmlight Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6W, POE 802.3af, MAX 7W,IP66	70,190,400
Dome					
41		TC-C34KS I3/E/Y/2.8mm/V4.0		4MP(2560X1440@25fps),1/2.8"CMOS,2.8mm Fixed Lens,120dB WDR,0.002Lux,30m IR Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 5W, POE 802.3af, MAX 6W,IP67,IK10	63,504,000
5MP Cameras					
Bullet					
42	Lite	TC-C35WS I5/E/Y/2.8mm/V4.0		5MP(2592X1944@20fps),1/2.8"CMOS,2.8mm Fixed Lens,120dB WDR,0.002Lux,50m IR Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6W, POE 802.3af, MAX 7W,IP67	91,828,800
• به موارد فوق 10٪ ارزش افزوده اضافه می گردد.					

43	Lite	TC-C35WS I5/E/Y/M/2.8mm/V4.0		5MP(2592X1944@20fps),1/2.8"CMOS,2.8mm Fixed Lens,120dB WDR,0.002Lux,50m IR Metal Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6W, POE 802.3af, MAX 7W,IP67	83,270,000
44	Lite	TC-C35WS I5/E/Y/M/4mm/V4.0		5MP(2592X1944@20fps),1/2.8"CMOS,4mm Fixed Lens,120dB WDR,0.002Lux,50m IR Metal Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6W, POE 802.3af, MAX 7W,IP67	93,247,840
45	Lite -Eco Pro	TC-C35US I8/A/E/Y/M/C/H/2.7-13.5mm		5MP(2592x1944@20fps),1/2.8"CMOS,2.7-13.5mm Varifocal Lens,120dB WDR,0.002Lux,80m IR Metal Housing,BLC/HLC/AGC/3D DNR,One Audio I/O, Mic in,One Alarm I/O,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 8W, POE 802.3af, MAX 9W,IP67	128,500,000
Turret					
46	Lite	TC-C35XS I3/E/Y/2.8mm/V4.0		5MP(2592X1944@20fps),1/2.8"CMOS,2.8mm Fixed Lens,120dB WDR,0.002Lux,30m IR Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6W, POE 802.3af, MAX 7W,IP66	80,080,000
Dome					
47	Lite	TC-C35KS I3/E/Y/2.8MM/V4.0		5MP(2592X1944@20fps),1/2.8"CMOS,2.8mm Fixed Lens,120dB WDR,0.002Lux,30m IR Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6W, POE 802.3af, MAX 7W,IP66,IK10	75,550,000
48	Lite	TC-C35MS I3/A/E/Y/M/2.8-12MM		5MP(2592x1944@20fps),1/2.8"CMOS,2.8-12mm Varifocal Lens,120dB WDR,0.002Lux,30m IR Metal Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 7W, POE 802.3af, MAX 8W,IP66,IK10	85,555,000
5MP Cameras					
Bullet					
49	Lite	TC-C38WS I5/E/Y/M/2.8mm/V4.0		8MP(3840x2160@20fps),1/2.8"CMOS,2.8mm Fixed Lens,120dB WDR,0.002Lux,50m IR Metal Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6.5W, POE 802.3af, MAX 8W,IP67	115,860,000
50		TC-C38WS I5/E/Y/M/4mm/V4.0		8MP(3840x2160@20fps),1/2.8"CMOS,4mm Fixed Lens,120dB WDR,0.002Lux,50m IR Metal Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6.5W, POE 802.3af, MAX 8W,IP67	105,000,000
Turret					
51	Lite	TC-C38XS I3/E/Y/M/2.8mm/V4.0		8MP(3840x2160@20fps),1/2.8"CMOS,2.8mm Fixed Lens,120dB WDR,0.002Lux,30m IR Metal Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,DC12V±25%, MAX 7W, POE 802.3af, MAX 8.5W,IP66	110,129,600
Dome					
52	Lite	TC-C38KS I3/E/Y/2.8mm/V4.0		8MP(3840x2160@20fps),1/2.8"CMOS,2.8mm Fixed Lens,120dB WDR,0.002Lux,30m IR Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6W, POE 802.3af, MAX 7.5W,IP66,IK10	97,850,000
• به موارد فوق 10٪ ارزش افزوده اضافه می گردد.					
PTZ Cameras					

53	Lite- wifi	<u>TC-H334S</u> <u>15W/C/WIFI/4mm/V4.1</u>		4MP(2304x1906@25fps),1/2.8"CMOS,4mm Fixed Lens,DWDR,0.02Lux,50m IR +Warmlight Metal+Plastic Housing,HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 12W,IP66	95,424,000
54	Pro	<u>TC-H324S 23X/I/E/C/V3.0</u>		2MP(1920X1080@30fps),1/2.8"CMOS,5mm~115mm,True WDR,0.001Lux,150m IR ADC 12, PC+ABS,BLC/HLC/AGC/3D DNR,,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±10%, MAX 7.3W, POE 802.3at, MAX18.5W,IP66	298,100,000
55		<u>TC-H324S 23X/I/E/V3.0</u>		2MP(1920X1080@30fps),1/2.8"CMOS,5mm~115mm,True WDR,0.001Lux,150m IR ADC 12, PC+ABS,BLC/HLC/AGC/3D DNR,,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±10%, MAX 7.3W, POE 802.3at, MAX17.6W,IP66	329,000,000
56	Pro	<u>TC-H324S 25X/I/E</u>		2MP(1920X1080@30fps),1/2.8"CMOS,4.8mm~120mm,True WDR,0.001Lux,150m IR ADC 12,BLC/HLC/AGC/3D DNR,One Audio I/O,One Alarm I/O,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±10%, MAX 9W, POE 802.3at, MAX22W,IP66	340,000,000
57	Pro	<u>TC-H326S 33X/I/E+/A/V3.0</u>		2MP(1920X1080@30fps),1/2.8"CMOS,4.6mm~152mm,True WDR,0.001Lux,200m IR ADC 12,BLC/HLC/AGC/3D DNR,One Audio I/O,One Alarm I/O,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±10%, MAX 14W, POE 802.3at, MAX24W,IP66	635,530,000
58	Pro	<u>TC-H354S 23X/I/E/V3.0</u>		5MP(2880×1620@30fps),1/2.8"CMOS,5mm~115mm,Digital WDR,0.001Lux,150m IR ADC 12, PC+ABS,BLC/HLC/AGC/3D DNR,One Audio I/O,One Alarm I/O,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±10%, MAX 8.1W, POE 802.3at, MAX19.4W,IP66	398,518,400
NVRs					
59	AK	<u>TC-R3104 I/B/P4/C/EU/L/S</u>		4-CH POE,1 HDD-6TB,Bandwidth: 60Mbps/ 40Mbps Recording Resolution: 5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF Decoding: 1x5MP, 1x4MP,1x3MP,2x1080P,5x720P,HDMI*1	61,280,800
60	AK	<u>TC-R3108 I/B/P8/C/EU/L/S</u>		8-CH POE,1 HDD-6TB,Bandwidth: 60Mbps/ 40Mbps Recording Resolution: 6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF Decoding: 1x6MP,1x5MP, 1x4MP,1x3MP,4x1080P,8x720P,HDMI*1	66,617,600
61	Spark	<u>TC-R3105 I/B/L/S/Eu</u>		5-CH,1 HDD-8TB,Bandwidth: 50Mbps/ 40Mbps Recording Resolution: 6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF Decoding: 1x6MP,1x5MP, 1x4MP,1x3MP,4x1080P,5x720P,5x4CIF,HDMI*1 + VGA *1	49,022,400
62	Spark	<u>TC-R3105 I/B/P/L/S</u>		5-CH,1 HDD-8TB,Bandwidth: 60Mbps/ 40Mbps Recording Resolution: 6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF Decoding: 1x6MP,1x5MP, 1x4MP,1x3MP,4x1080P,5x720P,5x4CIF,HDMI*1 + VGA *1	50,164,800
63	wifi	<u>TC-R3105 I/B/W</u>		5-CH,1 HDD-10TB,Bandwidth: 50Mbps/ 40Mbps Recording Resolution: 6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF Decoding: 1x6MP,1x5MP, 1x4MP,1x3MP,4x1080P,5x720P,5x4CIF,HDMI*1 + VGA *1	62,888,000
• به موارد فوق 10٪ ارزش افزوده اضافه می گردد.					
64	Lite-N	<u>TC-R3105 I/B/L</u>		5-CH,1 HDD-8TB,Bandwidth: 50Mbps/ 40Mbps Recording Resolution: 6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF Decoding: 1x6MP,1x5MP, 1x4MP,1x3MP,4x1080P,5x720P,5x4CIF,HDMI*1	53,536,000

65	Lite-N	<u>TC-R3105 I/B/P/L</u>		5-CH,1 HDD-8TB,Bandwidth: 60Mbps/ 40Mbps Recording Resolution: 6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF Decoding: 1x6MP,1x5MP, 1x4MP,1x3MP,4x1080P,5x720P,5x4CIF,HDMI*1 + VGA *1	55,753,600
66	Lite-N	<u>TC-R3108 I/B/V2.0</u>		8-CH,1 HDD-6TB,Bandwidth: 60Mbps/ 40Mbps Recording Resolution: 6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF Decoding: 1x6MP,1x5MP, 1x4MP,1x3MP,4x1080P,5x720P,5x4CIF,HDMI*1 + VGA *1	40,880,000
67	Spark	<u>TC-R3110 I/B/L/S/Eu</u>		10-CH ,1 HDD-8TB,Bandwidth: 60Mbps/ 40Mbps Recording Resolution: 6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF Decoding: 1x6MP,1x5MP, 1x4MP,1x3MP,4x1080P,10x720P,10x4CIF,HDMI*1	55,160,000
68	Spark	<u>TC-R3110 I/B/P8/L/S</u>		10-CH (8POE),1 HDD-8TB,Bandwidth: 60Mbps/ 40Mbps Recording Resolution: 6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF Decoding: 1x6MP,1x5MP, 1x4MP,1x3MP,4x1080P,8x720P,HDMI*1	61,286,400
69	Lite-N	<u>TC-R3110 I/B/V3.0</u>		10-CH,1 HDD-10TB,Bandwidth: 60Mbps/ 40Mbps Recording Resolution: 6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF Decoding: 1x6MP,1x5MP, 1x4MP,1x3MP,4x1080P,10x720P,10x4CIF,HDMI*1 + VGA *1	58,520,000
70	Lite-N	<u>TC-R3120 I/B/V3.0</u>		20-CH,1 HDD-10TB,Bandwidth: 80Mbps/ 80Mbps Recording Resolution: 8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF Decoding: 1x8MP,1x6MP,1x5MP, 2x4MP,2x3MP,4x1080P,8x720P,20x4CIF,HDMI*1 + VGA *1	151,200,000
71	Lite-K	<u>TC-R3120 I/B/K/V3.0</u>		20-CH,1 HDD-10TB,Bandwidth: 80Mbps/ 80Mbps Recording Resolution: 8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF Decoding: 2x8MP,2x6MP,3x5MP, 4x4MP,5x3MP,8x1080P,16x720P,20x4CIF,HDMI*1 + VGA *1,Audio I/O,Alarm I/O:4/1	184,800,000
72	Lite-K	<u>TC-R3220 I/B/K/V3.0</u>		20-CH,2 HDD-10TB,Bandwidth: 120Mbps/ 100Mbps Recording Resolution: 8MP/6MP/5MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF Decoding: 1x8MP,1x6MP,1x5MP, 2x4MP,2x3MP,4x1080P,8x720P,20x4CIF,HDMI*1 + VGA *1,Audio I/O,Alarm I/O:4/1	210,000,000
73	Lite-K	<u>TC-R3220 I/B/K/V3.1</u>		20-CH,2 HDD-10TB,Bandwidth: 160Mbps/ 64Mbps Recording Resolution: 8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF Decoding: 2x8MP,2x6MP,3x5MP, 4x4MP,5x3MP,8x1080P,16x720P,20x4CIF,HDMI*1 + VGA *1,Audio I/O,Alarm I/O:4/1	196,990,000
74	Lite-K	<u>TC-R3220 I/B/P16/K/V3.0</u>		20-CH (16POE),2 HDD-10TB,Bandwidth: 160Mbps/ 64Mbps Recording Resolution: 8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF Decoding: 2x8MP,2x6MP,3x5MP, 4x4MP,5x3MP,8x1080P,16x720P,20x4CIF,HDMI*1 + VGA *1,Audio I/O,Alarm I/O:4/1	244,406,400
75	Lite-K	<u>TC-R3232 I/B/K/V3.1</u>		32-CH,2 HDD-10TB,Bandwidth: 160Mbps/ 48Mbps Recording Resolution: 8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF Decoding: 2x8MP,2x6MP,3x5MP, 4x4MP,5x3MP,8x1080P,16x720P,32x4CIF,HDMI*1 + VGA *1,Audio I/O,Alarm I/O:4/1	260,433,600
• به موارد فوق 10٪ ارزش افزوده اضافه می گردد					
76	Lite-K	<u>TC-R3432 I/B/K/V3.1</u>		32-CH,4 HDD-10TB,Bandwidth: 160Mbps/ 48Mbps Recording Resolution: 8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF Decoding: 2x8MP,2x6MP,3x5MP, 4x4MP,5x3MP,8x1080P,16x720P,32x4CIF,HDMI*1 + VGA *1,Audio I/O	255,000,000

77	Lite-H	<u>TC-R3240 I/B/N/H</u>		40-CH, 2 HDD-10TB, Bandwidth: 320Mbps/ 320Mbps Recording Resolution: 12MP/8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF Decoding: 3x12MP, 4x8MP, 4x6MP, 5x5MP, 8x4MP, 9x3MP, 16x1080P, 32x720P, 40x4CIF, HDMI*1 + VGA *1, Audio I/O, Alarm I/O: 16/4	358,400,000
78	Lite-H	<u>TC-R3440 I/B/N/H/C</u>		40-CH, 4 HDD-10TB, Bandwidth: 200Mbps/ 200Mbps Recording Resolution: 12MP/8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF Decoding: 3x12MP, 4x8MP, 4x6MP, 5x5MP, 8x4MP, 9x3MP, 16x1080P, 32x720P, 40x4CIF, HDMI*1 + VGA *1, Audio I/O	425,600,000

• به موارد فوق 10٪ ارزش افزوده اضافه می گردد.

D.D.C PERSIA



WWW.DDCPERSIA.COM



PERSIASYSTEM



پشتیبانی 021-54 87 1300



INFO@DDCPERSIA.NET